L	Hits	Search Text	DB	Time etamp
Number	nics		DB	Time stamp
_	13	(peripheral with function with (hide hidden)) and @ad<20010523	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/25 07:16
_	23	(peripheral same (function with (hide hidden))) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/24
_	0	(pci same (function with (hide hidden))) and @ad<20010523	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/24
_	28	(bus same (function with (hide hidden))) and @ad<20010523	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/24
_	3933	((function with (hide hidden conceal\$2))) and @ad<20010523	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/24
-	1272	(bus and (function with (hide hidden conceal\$2))) and @ad<20010523	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/24
_	31	(bus same (function with (hide hidden conceal\$2))) and @ad<20010523	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/26 08:30
_	12	("first device function" and "second device function") and @ad<20010523	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/24
-	5862	("first function" and "second function") and @ad<20010523	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/24
-	1400	("first function" and "second function" and bus) and @ad<20010523	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/24
-	92	("first function" and "second function" and pci) and @ad<20010523	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/24 14:39
-	2	5734847.pn.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/24 14:39
-	0	("first function" same "second function" same enumerate) and @ad<20010523	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/25 07:17
-	394	(function same enumerate) and @ad<20010523	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/25 07:17
			DERWENT; IBM_TDB	

Search History 2/27/04 3:04:04 PM

			_	
_	4	(pci same function same enumerate) and @ad<20010523	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/25
_	209	(pci same function same (configure initialize)) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/25 07:23
-	74	(pci same function with (configure initialize)) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/25
-	488	(bus same function with (configure initialize)) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/25
-	73	((multifunction multi\$1function) with (configure initialize)) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/25
	9	((multifunction multi\$1function) same (pci scsi) same (configure initialize)) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/25
_	1439	(((first adj (processor controller cpu) with (device function)) same (second adj (processor controller cpu) with (device function)))) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/25
-	25	(((first adj (processor controller cpu) with (first adj (device function))) same (second adj (processor controller cpu) with (second adj (device function)))))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/25
-	6212	and @ad<20010523 ((multifunction "multi function" multifunction) and enable) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/26 08:31
_	40	((multifunction "multi function" multifunction) and enumerate) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/26 08:32
_	490	((multifunction "multi function" multifunction) and purchase) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 08:15
_	120	(signal with block adj (configuration enumeration)) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 08:16
	2	(pci and (signal with (block adj (configuration enumeration)))) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 08:18
-	14	((signal adj3 (block adj (configuration enumeration)))) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 08:36

	35	(pci and (enumerate with function)) and @ad<20010523	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 08:47
_	87		IBM_TDB USPAT;	2004/02/27
		@ad<20010523	US-PGPUB; EPO; JPO; DERWENT;	09:07
-	53	((bus and (enumerate with function)) and @ad<20010523) not ((pci and (enumerate with function)) and @ad<20010523)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 08:47
-	20	("configuration header" same "bus device") and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27
-	2	("configuration header" same "peripheral device") and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27
-	22	(("configuration header" same "bus device") and @ad<20010523) (("configuration header" same "peripheral device") and @ad<20010523)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27
-	2	(header same "bus device" same set) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/27
_	33	(header same "peripheral device" same set) and @ad<20010523	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/27
_	35	((header same "bus device" same set) and @ad<20010523) ((header same "peripheral device" same set) and @ad<20010523)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 09:23
_	3301	((configuration enumeration) with header) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27
_	153	(((configuration enumeration) with header) same pci) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27
_	962	(((configuration enumeration) with (header register)) same pci) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27
_	848	(((configuration enumeration) near3 (header register)) same pci) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27
-	819	(((configuration enumeration) near2 (header register)) same pci) and @ad<20010523	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27
	l		IBM TDB	

-	716	(((configuration enumeration) adj (header register)) same pci) and @ad<20010523	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 09:50	]
---	-----	---	---	------------------	---